

CERDDOMUS

TERRAZZO
CARE GUIDE





TILE CARE AND MAINTENANCE

Domestic

Routine Daily

- Clean spills ASAP.
- Remove large grit particles that may scratch the surface using a suitable static mop, broom or other depending on the surface finish of the terrazzo tile.
- Clean floor with a PH Neutral Detergent using a steam mop fitted with a microfibre pad.
- Do not use products that contain acid or alkaline.

Extended Life

Over time, tiles can show signs of wear and tear and can be rejuvenated. For best results we recommend a reputable sealing contractor mechanically clean the tiles, removing stubborn stains and repairing any scratches or blemishes in the tiles.

Commercial

Routine Daily

- Remove large grit particles that may scratch the surface using a suitable static mop, broom or other depending on the surface finish of the terrazzo tile.
- Clean floor with a PH Neutral Detergent using an auto-scrubber fitted with cleaning pad/brush suitable for the surface finish of the tiles.
- Clean edges and hard to reach places using a mini-scrubber fitted with a cleaning pad/brush suitable for the surface finish of the tiles.
- Clean any excess water using a wet vacuum or mop immediately to avoid dirty water pooling on the surface.
- For honed surfaces buff the floor using a buffing machine fitted with a suitable buffing pad.



SLAB CARE AND MAINTENANCE

Cerdomus recommends using water and a PH Neutral cleaner on a microfiber cloth or nonabrasive sponge for routine cleaning of slab surfaces.

For care and maintenance products and services we recommend using on PH Neutral products which are available from the following leading industry specialists:

Lithofin
Rockstar Sealing

<https://www.cerdomus.com.au/product-category/sealers/>

Routine Daily

- Clean spills ASAP and avoid contact with acidic foods or liquids.
- Remove large grit particles that may scratch the surface.
- Clean surface with a PH Neutral Detergent using a microfiber cloth.
- Do not use cleaning products that contain acid or alkaline as this will etch the surface.

Most marks can be easily removed with a little effort and a recommended cleaning product. For tough stains, gently rub the area with the cleaner and a mildly abrasive pad.

Heat Resistance

Cerdomus Tile Studio slabs are non-flammable however surfaces can tolerate moderately hot temperatures for brief periods of time.

Prolonged exposure may result in discolouring or other types of damage. Excessive localised heat may damage the surface or cause hairline cracks.

Extended Life

Due to the fact that the materials contained in our slabs are somewhat more sensitive to dirt and damage, surfaces can be repolished and rejuvenated.

For best results we recommend a reputable stone restoration contractor mechanically clean the surface, removing stubborn stains and repairing any scratches or blemishes returning the surface back to its original condition.

Pitting and cracking overtime, can be filled by a professional with matching epoxy